PRINTED: 10/18/2016 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
			B. WING		
NAME OF PROVIDER OR SUPPLIER STREET ADD			1.		10/12/2016
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 27833 CR 24 BEARDSLEY HOUSE					
ELKHART, IN 46517					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETE
R 000	000 INITIAL COMMENTS		R 000		
	This visit was for a St Survey.	ate Residential Licensure			
	Survey dates: October 11, and 12, 2016.				
	Facility number: 004353 Provider number: 004353 AIM number: N/A				
	Residential Census: 34				
	Sample: 7				
	Beardsley House was found to be in compliance with 410 IAC 16.2-5 in regard to the State Residential Licensure Survey.				
	QR was completed by	y 99993 on 10/14/16.			

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE